

95316056
GENERATOR
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7575

TRANSPORTER
FACILITY
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7575

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company, C1-Q6C (11-11) Attn: Rob Tuell 3855 Lakewood Blvd. Long Beach, CA 90846		C A D 0 8 6 5 1 0 0 0 5 1 6 0 5 6		A. State Manifest Document Number 95316056	
4. Generator's Phone (310) 496-6287 or (310) 593-3101		6. US EPA ID Number		B. State Generator's ID H A H Q 3 6 0 0 5 6 9 8	
5. Transporter 1 Company Name Laidlaw Environmental Services of CA, Inc.		C. State Transporter's ID 448107		D. Transporter's Phone (310) 518-4700	
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID	
9. Designated Facility Name and Site Address Norris Environmental Services 5215 South Boyle Avenue Los Angeles, CA 90058		10. US EPA ID Number C A D 0 9 7 0 3 0 9 9 3		G. State Facility's ID C A D 0 9 7 0 3 0 9 9 3 H. Facility's Phone (213) 588-7111	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
RQ, Waste sodium hydroxide solution, 8, UN1824, PG II (D002)		002 DM	00760	P	State 121 EPA/Other D002
Waste caustic alkali liquids, n.o.s., (Potassium hydroxide) 8, UN1719, PG III (D002, D007)		006 DF	02925	P	State 181 EPA/Other D002
RQ, Waste corrosive liquids, n.o.s., 8, UN1700, PG III (D002, D007)		003 DF	031095	P	State 792 EPA/Other D002
J. Additional Descriptions for Materials Listed Above 11a. E0108200005AK. Sodium hydroxide solution. 11b. E0108200007AK. Kylene rhse water. Additional Code D007. 11c. E0108200011AK. Mbrod. water. Add. codes 723, D007.		K. Handling Codes for Wastes Listed Above a. 01 b. 01 c. d.			
15. Special Handling Instructions and Additional Information 24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a) 60 b) 60 Site address: 19503 South Normandie Avenue, Torrance, CA 90502.					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell, Jr.		Signature <i>Robert G. Tuell, Jr.</i>		Month Day Year 03/10/95	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Antonio Chavez III		Signature <i>Antonio Chavez III</i>		Month Day Year 03/10/95	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space <i>Item 11.0) Other toxic contents present in waste. EPA-D010.</i> <i>Item 11.6) Section I, State code should be 121 instead of 181</i>					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Juanito Chiu		Signature <i>Juanito Chiu</i>		Month Day Year 03/10/95	

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

95316056

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-75

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Douglas Aircraft Company, C1-Q6C (11-11) Attn: Rob Tuell 3855 Lakewood Blvd. Long Beach, CA 90846		C A D 0 8 6 5 1 0 0 0 5 1 6 0 5 6		A. State Manifest Document Number 95316056		
4. Generator's Phone (310) 496-6287 or (310) 593-3101		6. US EPA ID Number		B. State Generator's ID HAHQ36005698		
5. Transporter 1 Company Name Laidlaw Environmental Services of CA, Inc.		C. State Transporter's ID 448107		D. Transporter's Phone (310) 518-4700		
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		
9. Designated Facility Name and Site Address Norris Environmental Services 5215 South Boyle Avenue Los Angeles, CA 90058		10. US EPA ID Number C A D 0 9 7 0 3 0 9 9 3		F. Transporter's Phone		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity		
a. Waste sodium hydroxide solution, 8, UN1824, PG II (D002)		No. Type 002 DM		14. Unit Wt/Vol P		
b. Waste caustic alkali liquids, n.o.s., (Potassium hydroxide) 8, UN1719, PG III (D002, D007)		006 DF		00760 P		
c. Waste corrosive liquids, n.o.s., 8, UN1760, PG III (D002, D007)		003 DF		00760 P		
d.						
J. Additional Descriptions for Materials Listed Above 11a. E0106200005AK. Sodium hydroxide solution. 11b. E0106200007AK. Kolene rinse water. Additional Code D007. 11c. E0106200011AK. Methylene chloride. Additional Code D002.		K. Handling Codes for Wastes Listed Above a. b. c. d.		I. Waste Number State 121 EPA/Other D002 State 181 EPA/Other D002 State R03 03-10-95 702 EPA/Other R03 03-10-95 D002 State R03 03-10-95 EPA/Other		
15. Special Handling Instructions and Additional Information 24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a) 60 b) 60 Site address: 19503 South Normandie Avenue, Torrance, CA 90502.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Robert G. Tuell, Jr.		Signature <i>Robert G. Tuell, Jr.</i>		Month Day Year 03/10/95		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>Antonio Chavez III</i>		Signature <i>Antonio Chavez III</i>		Month Day Year 03/10/95		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Signature Month Day Year						

DO NOT WRITE BELOW THIS LINE.

Generator Name: Douglas Aircraft Co

EPA ID Number: CAD0865/0005

Manifest Number: 16056/95316056

Date of Shipment: 2/24/95 RCR 03-10-95
03-10-95

Indicate Waste Line Item (11): a

This notification is hereby submitted to **NORRIS ENVIRONMENTAL SERVICES** in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification

RCRA Land Disposal Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation, Metals Recovery

(check those that apply)

- | | |
|--|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As) | 5.0 mg/L: |
| <input type="checkbox"/> Barium and/or compounds (as Ba) | 100.0 mg/L: |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd) | 1.0 mg/L: |
| <input type="checkbox"/> Chromium (VI) and/or compounds (as Cr VI) | 5.0 mg/L: |
| <input type="checkbox"/> Lead and/or compounds (as Pb) | 5.0 mg/L: |
| <input type="checkbox"/> Mercury and/or compounds (as Hg) | 0.2 mg/L: |
| <input type="checkbox"/> Selenium and/or compounds (as Se) | 1.0 mg/L: |
| <input type="checkbox"/> Silver and/or compounds (as Ag) | 5.0 mg/L: |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE. Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Print Name Robert G. Tyrell, Jr.

Title Sr. Plant Engineer

Date 03-10-95

Robert G. Tyrell, Jr.

(310) 496-6287 or (310) 533-7926

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where treatment standard exists for the California List Waste, waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart I and all applicable prohibitions set forth in 40 CFR 268.32 of RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

Generator Name: Douglas Aircraft Co

EPA ID Number: CAD086510005

Manifest Number: 16056/95316056

Date of Shipment: 03-10-95

Indicate Waste Line Item (11): b

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regul described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are t to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban a federal regulations.

California List Wastes Notification

RCRA Land Disposal Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation: Metals Recovery

(check those that apply)

- | | |
|--|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As) | 5.0 mg/L: |
| <input type="checkbox"/> Barium and/or compounds (as Ba) | 100.0 mg/L: |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd) | 1.0 mg/L: |
| <input type="checkbox"/> Chromium (VI) and/or compounds (as Cr VI) | 5.0 mg/L: |
| <input type="checkbox"/> Lead and/or compounds (as Pb) | 5.0 mg/L: |
| <input type="checkbox"/> Mercury and/or compounds (as Hg) | 0.2 mg/L: |
| <input type="checkbox"/> Selenium and/or compounds (as Se) | 1.0 mg/L: |
| <input type="checkbox"/> Silver and/or compounds (as Ag) | 5.0 mg/L: |

- ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE _____ Check constituent(s) on Table CCWE which were required below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr.

Senior Plant Engineer

03-10-95
Date

Robert G. Tuell, Jr.

(310)496-6287 OR (310) 533-7926

Waste Requires Treatment

- ☒ I am the initial generator of an untreated waste ident above which must be treated in the appropriate treat standard set forth in 40 CFR 268 Subpart D, or wher treatment standard exists for the California List Waste, waste must be treated to the levels specified under 40 (268.32.

Waste Treated to Performance Standards

- ☐ The waste identified above has been treated in complian with the applicable performance standards specified in 40 C 268 Subpart D and/or the applicable prohibitions set forth 40 CFR 268.32. "I certify under penalty of law that I ha personally examined and am familiar with the treatme technology and operation of the treatment process used support this certification and that, based upon my inquiry those individuals immediately responsible for obtaining th information, I believe that the treatment process used support this certification and that, based upon my inquiry those individuals immediately responsible for obtaining th information, I believe that the treatment process has bee operated and maintained properly so as to comply with th performance levels specified in 40 CFR Part 268 Subpart I and all applicable prohibitions set forth in 40 CFR 268.32 o RCRA Section 3004(s) without dilutions of the prohibite waste. I am aware that there are significant penalties fo submitting a false certification, including the possibility of fine and imprisonment.

Waste Subject to Variance

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

WORK ORDER



221 E. "D" ST. • P.O. Box 1175
WILMINGTON, CA 90748-1175
(310) 518-4700 • (800) 955-5359

CUSTOMER/ACCT. NO

240120

BILLING ADDRESS

DOUGLAS AIRCRAFT
190TH X NORMANDIE
TORRANCE CA

SERVICE ADDRESS

SAME

WORK ORDER NO.

12240

12242

Billed F6103
95316056 & 102
51650324020

ORDER DATE	DATE TO BE DONE	CUSTOMER P.O. #	ORDERED BY	TELEPHONE#	CONTACT PERSON
03/09/95	03/10/95		FRED	(310) 4089104	
REP.	DIV. #	DEPARTMENT	CUSTOMER'S EPA #	CUSTOMER'S BD OF EQUAL #	CONTACT PHONE #
					() () ()

- A) 1 GEAR TRUCK P/U 15 DRUMS HAUL TO NORRIS of Cyanide Solution man.# 95316102
IN YARD 0715 ON SITE 0800
- B) PUP 6x55 of Caustic Alkali Liquids PROFILE 20106200120
C) PUP 2x55 of Sodium Hydroxide Solution TO NORRIS man.# 95316056

Profile # (B) E0106200007 AK
Profile # (C) E0106200005 AK

PUP 23x55 for Norris Ind.

Time arrived at DAC Torrance: 0800

Time departed DAC Torrance: 1345

DRIVER COMPLETE:

SERVICES PERFORMED

PUP WST DRUMS

START TIME 0700

STOP TIME

START MILES 72054

END MILES

TRUCK NUMBER 3548

TRAILER NUMBER

Manifest Number 95316102/95316056

Date Completed Mar. 10-95

Drivers Name Tony Chavez

ments

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature

Robert G. Twell, Jr. 03-10-95

PRICING INSTRUCTIONS - DRUMS

WORK ORDER

Clerical	Hrs. @	Per Hr.
Project Manager	Hrs. @	Per Hr.
First Technician	Hrs. @	Per Hr.
Second Technician	Hrs. @	Per Hr.
Third Technician	Hrs. @	Per Hr.
Fourth Technician	Hrs. @	Per Hr.
Fifth Technician	Hrs. @	Per Hr.
Truck #	Hrs. @	Per Hr.
Truck #	Hrs. @	Per Hr.
Truck #	Hrs. @	Per Hr.

Sundays, Holidays, and After Hours @ _____ % = _____

TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY

5 Gal. Cans Liquid @	Each
5 Gal. Cans Solid @	Each
5 Gal. Cans Lab Packed @	Each
55 Gal. Drums Liquid @	Each
55 Gal. Drums Solid @	Each
55 Gal. Drums Lab Packed @	Each
Empty 5 Gal. Cans @	Each
Empty 55 Gal. Cans @	Each

County Tax _____

MATERIALS USED

5 Gal. Cans @	Each
55 Gal. Drums @	Each
Recovery Drums @	Each
Bags Vermiculite @	Each
Bags (Other Describe) @	@ _____ = _____
Hazardous Waste Labels @	Each
Drum Liners @	Each
Safety Equipment Number of Sets	@ _____ = _____

PRICING INSTRUCTIONS - PUMPING

Compensation Hrs. @ _____ Per Hr. _____

Washout Fee _____

Dump Fee _____

TOTAL